

# Tooth Extraction: Post-Operative Instructions

# A Few Simple Guidelines

**Sometimes, teeth need to be removed due to decay, disease or trauma. Having a tooth “pulled” is called a tooth extraction.**

**When you have an extraction, it’s natural that changes will occur in your mouth. Your dentist may give you instructions to follow after the extraction, and it’s important to talk to your dentist if you have any questions or problems. Here are some general guidelines to help promote healing, prevent complications, and make you more comfortable.**

## Anesthetics

Before the extraction, you will be given an anesthetic to reduce your discomfort. Your mouth will remain numb for a few hours after the extraction. While your mouth is numb, you’ll want to be careful not to bite your cheek, lip or tongue. Do not eat any foods that require chewing while your mouth is numb. The numbness should go away within several hours. If it doesn’t, contact your dentist.

## Bleeding

Your dentist may place a gauze pack on the extraction site to limit bleeding. This will also help a blood clot to form, which is necessary for normal healing. This gauze pack should be left in place for 30 to 45 minutes after you leave the dentist’s office.

Do not chew on the pack. There may be some bleeding or oozing after the pack is removed.

If so, here’s what to do:

- Fold a piece of clean gauze into a pad thick enough to bite on. Dampen the pad with clean, warm water and place it directly on the extraction site.
- Apply pressure by closing the teeth firmly over the pad. Maintain this pressure for about 30 minutes. If the pad becomes soaked with blood, replace it with a clean one.
- Do not suck on the extraction site or disturb it with your tongue.
- A slight amount of blood may leak from the extraction site until a clot forms. However, if heavy bleeding continues, call your dentist. (Remember, though, that a little bit of blood mixed with saliva can look like a lot of bleeding.)

## Do Not Disturb!

The blood clot that forms in the tooth socket is an important part of the normal healing process. You should avoid doing things that might disturb the clot.

- Do not rinse your mouth vigorously, or drink through a straw for 24 hours. These activities create suction in the mouth, which could loosen the clot and delay healing.
- Avoid alcoholic beverages or mouthwash containing alcohol for 24 hours.
- If you are a smoker, talk to your dentist before the surgery on ways to quit. You should not smoke after surgery.
- Limit strenuous activity for 24 hours after the extraction. This will reduce bleeding and help the blood clot to form.
- Sometimes the blood clot does not form in the first day or two after the extraction, or it forms but breaks down. The result is called dry socket. This can be very painful and should be reported to your dentist. A dressing may be placed in the socket to protect it until the socket heals and to reduce any pain.

**TALK**  
TO YOUR  
DENTIST

## Cleaning Your Mouth

Do not clean the teeth next to the healing tooth socket for the rest of the day. You should, however, brush and floss your other teeth well and begin cleaning the teeth next to the healing tooth socket the next day. You can also brush your tongue. This will help get rid of the bad breath and unpleasant taste that are common after an extraction.

The day after the extraction, gently rinse your mouth with warm salt water (half a teaspoon salt in an 8 oz. glass of warm water) after meals to keep food particles out of the extraction site. Try not to rinse your mouth vigorously, as this may loosen the blood clot. If you have hypertension, discuss with your dentist whether you should rinse with salt water. Avoid using a mouthwash during this early healing period unless your dentist advises you to do so.

## Medication

If your dentist has prescribed medicine to control pain and inflammation, or to prevent infection, use it only as directed. If the pain medication prescribed does not seem to work for you, do not take more pills or take them more often than directed — call your dentist.